



SHREE BALAJI SURGICAL PVT. LTD.

(AN ISO 9001 : 2008 (QMS) CERTIFIED COMPANY)



Complete Home Health Care Product Range

Disposable Drapes and Packs Range

COMPANY PROFILE

SHREE BALAJI SURGICAL PVT. LTD. Established in year 1999 with the perception of proving better health & medical services, through the range of various products covering different faculties of medical procedure including cardiology, neurology, urology, gastroentrology & general pre & post operative system. We are having a sole intention to provide a better healthcare solution with the future vision keeping in mind & to offer social environment with a nominal & minimum affordable cost. All our products are quality imported & mfg with the best Quality controls & checking to the international Standards.

OUR SERVICES

Hospital is the integral part of social and medical organisation which is to provide complete health care services, as being the part of this Industry, we cater hospitals, private practices & healthcare institutes with our high-quality medical equipment's, services and surgical disposable products.

OUR PRODUCTS

- Disposable Drapes (Adhesive/plain) Gowns, Hospital wears, Instrument covers used in surgeries for Ortho paedic, Gynaecology &Caesarean, General surgery, Ophthalmic, Neurosurgery, Angiography, Cystoscopy/Urology
- DisposableRespiratory range
- Latex Examination & Sterile Surgical glove (powered and powder free)
- Crepe bandage & Elastic Adhesives
- Home health care range: Nebulizer Machine, Thermometer, Blood pressure machine, Pulse oximeter, Air mattress and Water beds, Oxygen concentrators, B-pap / C-pap machines, Adult Diapers for incontinence patient.

OUR MISSION STATEMENT

Our purpose is to serve the health care industries with our quality product. Our first responsibility is to the patient and the customer we serve. Our corporate integrity, honesty and transparency are unwav ering.

WHY CHOOSE US?

Professional: Our parent company supplies to more than 500 institutes and hospitals (public/private) all over India along with more than 500 dealers and distributers. In the view of the same we SKPMIT will follow the same tradition by

- ON TIME DELIVERY
- CUSTOMER SATISFACTION
- QUALITY ASSURANCE
- NEW INNOVATIVE PRODUCTS.

Our moto is to serve the health care industry with high quality products beyond limits.

CONTENT

page 03-06 Disposable Range

page 07-19 Hospital & Home Health Care Products

page **20–29** Single Use Disposable Drapes & Packs



SURGICAL STERILE GLOVES

Specifications: Anatomic Shape Micro Roughened, Non Slip Surface For Optimal Sensitivity Size Available 5.0, 5.5, 6.0, 6.5, 7, 7.5, 8, 8.5 Packing 50 Pair Per Box Made in Malaysia Certifications: CE 0120, ISO 13485, ISO 9001:2008 Mfg in accordance with EN455/ ASTM D- 3577



POWDERED



POWDER FREE



NITRILE -POWDER FREE

Specifications:

Ambidextrous Non Sterile Size Available (X-S,S M,L) Packing 100 pcs Per Box Master Carton of 20 Box Made in Malaysia Certifications: CE, ISO 9001: 2008

DISPOSABLE RANGE

LATEX EXAMINATION GLOVES/ NITRILE GLOVES



LATEX FOLEY CATHETER

Features:


Caheter are made from Natural Latex Rubber, Medical Grade Siliconised smooth surface for non traumatic intubation Distal end is coned with super smooth eyes propotion to each other to provide non- traumatic intubation Provided with ultra thin, highly elastic Balloon. Hard Non Return Valve ensures trouble free inflation and deflation of Balloon

Size	Balloon Capacity
2 Way 6 FR	3 ml - 5 ml
2 Way 8 FR, 10 FR	3 ml - 5 ml
2 Way 12 FR, 14 FR	15 ml- 30 ml
2 Way 16 FR, 18 FR, 20 FR, 22 FR, 24 FR	30 ml- 50 ml
3 Way 18 FR, 20 FR, 22 FR, 24 FR	30 ml- 50 ml

CE, ISO 9001 : 2008

SILICONE FOLEY CATHETER

MEDINORM Foley Catheter Pediatric , Adult & 3Way Catheter are designed with a smooth tapered tip for easy insertion into the urethra. Available in latex silicone coated and 100% silicone. These catheters are single-use and sterile.



CE, ISO 9001 : 2008





An elastic bandage is a "stretchable bandage used to create localized pressure". Elastic bandages are commonly used to treat muscle sprains and strains by reducing the flow of blood to a particular area by the application of even stable pressure which can restrict swelling at the place of injury.

COTTON CREPE BANDAGE B.P.

Specifications: Standard As per B.P. 1988

This fine quality crepe bandage is manufactured to B.P. specifications. Non fraying edges & Flesh Colour. **USED FOR** : Strains, sprains, varicose veins, painful joints and as a pressure dressing for burns, skin grafts etc. Sizes : 15cm, 10cm, 8cm, 6cm X Stretched Length 4 Mt Certification: CE, ISO 9001 : 2008



Specifically designed to support a weak joint and used as a stretch compression bandage. Elastic Adhesive Bandage (EAB) is a cotton stretch bandage with a strong adhesive.

ELASTIC ADHESIVE BANDAGE

Specification : Standard As per B.P. 1993

Flesh Coloured Elastic Bandage With Porous Adhesive.

Remarkable Stretch And Regain Properties Suitable For Strong Support For Muscular Or Ligamentous Injuries.

Apply To Clean Dry Skin

Preserve In Well Closed Container.

Prevent Exposure To Heat And Sunlight

Sizes : 10cm, 8cm, 6cm, X Stretched Length 4/6 Mtr

10cm, 8cm, X Stretched Length 1 Mtr

Certification: CE, ISO 9001 : 2008



(Available In 10pcs Pack)

- Specifications :
- Anti-Bacterial Agent Significantly Reduces Bacterial Growth
- Cloth Feel / Non Woven
- Absorbent Fluff Pad with Embossed Drainage
- To Allow EvenDistribution Of fluid In the Absorbent Layer

- Super Absorbent POLYBEADS, Super Absorbency Turns Fluids Into Gel
- Soft Durable P.E. Backing -Prevents Fluid From Leaking On To Clothing Or Bed Lines
- Cloth -feel / non Woven Top Allows One - Way Passage of Fluids In The Absorbent Layer
- Neutralizing Agent Helps To Neutralize Urine To Prevent Skin Irritation
- Odour Reducing Agent -Eliminates The Unpleasant Odour
- Multi Stand Leg Garter Prevents Leakage At The Crotch Area
- Two Pairs of Adhesive Tape -Allows Multiple Fasting On The Frontal Tape
- SAP & Absorbent Capacity
 Medium 8g 1000ml,
 Large -10g 1200ml,
 X Large -12g 1400ml.

UNISEX ADULT DIAPERS (M.L. & X-L.) MEDIUM, LARGE & X LARGE

Size 600mm x 900mm Pack - Individual & 10's Pack Specifications : • Anti - Bacterial Agent Signifi cantly Reduces Bacterial Growth

- Absorbent Fluff Pad With Embossed Drainage to Allow Even Distribution Of Fluid In The Absorbent Layer
- Super Absorbent POLYBEADS Super Absorbency, Turns Fluids Into Gel
- Soft Durable P.E. Packing -Prevents Fluid From Leaking On To Clothing Or Bed Lines
- SAP-5gm, Weight 80gm Absorbent Capacity- 400 ml,

UNDERPADS



HARDTIP DIGITAL THERMOMETER

10 SEC. READING



30 SEC. READING



INFRARED THERMOMETER

Specifications :

°F/°C Switchable +0±0.2°F/±0.1°C
Beep Alert / Feaver Alarm
Easy Cleaning.
Low Battery Indicator
Approved From Metrology
Mercury Free Non - Hazardous
High Accuracy
Fast Response, Auto Shut Off
CE 0197 CERTIFIED

• Multiple Function

Digitally measures ear, forehead, object, room temperature and clock shown.

- Hygienic Just wipe clean, no need for probe covers.
- Fast and Accurate

Adopt the 3rd genearation temperature measurement technology, Accurate reading In just 1 second.

- Easy to use Operate with one button only, very simple to use.
- Automatically Displays the Last Body Temperature. When switch on the device, it will show the last effective body temperature.
- 3 colours Backlight

when measures body temperature, the system default value is

32.0 c - 37.4 c Green (896•F - 993•F) 37.5 c - 37.9 c Orange (99.5•F - 1002•F) 38.0 c - 42.9 c Red (1004•F - 1092•F) the back light will be on for 15 seconds



MODEL NO. SBS20C

Specifications:

- Four Directions
- Eight Modes Oled Color Display
- With Alarm Function
- And The Adjustable Range
- Anti-movement;
- Spo2 And Pulse Rate Can Be Shown Correctly
- When Pulse-filling Ratio Is 0.3%. Spo2 Error Is ±2%
- Pulse Rate Error is ±2 Bpm Or ± 2% (select Larger)
- Auto Power Off
- CE 0482

PULSE OXIMETER



Model No. MAM-S200A



Specifications: Prevent Bed Sores 6 Minute Cycle Time Built in Mounting Brackets for Bed 3 Meter Power Cord Heavy- Duty Air Pump Noiseless Operation Free Repair Kit& Glue 12 Month Warranty for Machine Weight Support: 150 Kg CE/ EN ISO 13485 Certified

NEPLUS SUPER MESH NEBULIZER

(NE-SM1)



Child Silicon Reusable Mask



Adult PVC Disposable Mask



Adult Silicon Reusable Mask



Child PVC Disposable Mask

- Vibrating Mesh technology (Nickel Free)
- Rechargeable battery with smart phone adapter (No battery change for more than 5 years)
- Noiseless operation
- Preventing infection by boiling

Features


Ultrasonic type nebulizer that sprays liquid medication into lung as aerosols.

Ultrasonic vibrator mesh releases medication via 5 /m of fine holes.

Very small size and noiseless Mesh technology. Very convenient to use and to carry.

Inhalation is possible at over 75° of tilt angel. Long operating time under rechargeable battery.

Technical Date





PVC mask as on customer requirement Adult & Child

Battery charging environment

Storage environment

Contents

Warranty 1 Year

0-45° C

-20-60° C

Nebulizer unit, Adult mask (optional),

manual Carrying bag All specifications are subject to change prior notice.

Child Mask,Mouthpiece, instruction

EQUIPMENT & INSTRUMENT



PISTON COMPRESSOR

PRO NEBULIZER

MODEL NO. SBS



PISTON COMPRESSOR NEBULIZER

MCN-S600C

CERTIFIED: CE 0120

Power	220 V 50 Hz
Power Consumption	180 VA
Medication Capacity	6 ml
Particle Size	Respirable Fraction 0.5 To 5um 80%
MMAD	2M um
Sound Level	Below 55 dBA
Medication Bowl Capacity	13m1(CC)

Average Nebulization Rate	0.2m1 / min
Compressor Pressure Range	30 to 36 Psi (210 to 250 KPa / 2.1 to 2.5 bar)
Operating Pressure Range	8 to 16 Psi (50 to 100 KPa 0.5 to 1.0 bar)
Liter Flow Range	6-10 lpm
Operating Temperature Range	50°F to 104°F (10°C to 40°C)
Operating Humidity Range	10 to 95 % RH

Storage Temperature Range	-13°F to 158°F (-21°C to 70°C)
Storage Humidity Range	10 to 95 % RH
Dimension (LXWXH)	300 X 180 X 115 mm (11.8"X 7.1"X 4.5")
Weight	4.5 Lbs (2.1kg)
Standard Accessories	Nebulizer, Air Tube , Mouth Piece, Filters (5pcs) Adult Mask, Child Mask
Optional Accessories	Baby Pacifier Inhalator, W/connector, Nose Piece



OXYGEN CONCENTRATOR MODEL : MOCIOL

Technical parameter

leci inical parameter	
Model	MOC10L
Flow Rate	0-10L/min
Purity	93 ± 33%
Oxygen concentration	1-9L/min: 93% (3 3%);
	10L/min: 90% (3 2%)
Outlet pressure	0.04-0.07Mpa
Noise level	≤50dB
Power	AC220V (310%), 50/60Hz
	(31Hz); AC110V (310%,),
	50/60Hz (31Hz)
Power Consumption	≤550W
LCD Display	Starting times, operating
	pressure, present working
	time, accumulated
	working time, preset time
	from 10mins to 40hours
Alarm	Power failure alarm;
	high/low pressure alarm
Net Weight	.28kg
Size	365 x 375 x 600mm



FLOW SPLITTER

Flow splitter is a device through which oxygen in one inlet can be divided into several flows for more patients to inhale at the same time. This device is usually used in clinics or small hospitals due to its economical and practical characteristics. The five flowmeters in this flow splitter can work independently or together by adjusting the flow knob. Minimum oxygen flow for a single oxygen outlet can be 0.125L/min. While the five oxygen outlets work together, the maximum oxygen flow is restricted lower than the oxygen flow in the inlet. It is suitable for both babies and adults. This flow splitter can be kept flat on the desk or hung on wall side by side for convenient using.



OXYGEN CONCENTRATOR MODEL: MOC1L



OXYGEN CONCENTRATOR

MODEL : MOC2L

Model	MOCIL
Oxygen Flow(L/min)	1-5 Adjustable
Oxygen Purity (%)	93% - 33% (
	75% - 33%()
	55% - 33% (3LPM)
	45% - 33%(4LPM)
	38% - 33% (5LPM)
Oxygen Pressure (Mpa)	0.03-0.07
Noise (dB)	≤45
Dimension(mm)	350×0 × 320
N.W. (kg)	6
Rated Power (W)	≤75
Power Supply(V)	AC220V/110V;
Options	DC12V; rechargeable
	Lithium battery(one hour)
	Trolley bag;

Specification

MOC2L
0-2LPM Adjustable
93% - (33%)
0.03-0.07MPA
≤45db
≤110W
Present working time, accumulated working time
Power Failure alarm, High&Low pressure alarm
9Kgs
435x240x410mm

Specification	
Model	MOC5L
Flow Rate	0-5L/min
Purity	93±33%
Outlet Pressure(Mpa) 0.04-0.07
Sound Level db	≤50db
Power	AC230V, 50Hz
Power Consumption	<300W
LCD Display	Operating pressure,
	Present Working Time,
	Accumulating Time,
	presetting Time from
	10mins to 40hours
Alarm	Power failure alarm,
	High&Low pressure alarm
	Temperature alarm,
	Low purity alarm.
Net Weight	16 Kg
Size (mm)	365 × 375×600mm



OXYGEN CONCENTRATOR MODEL : MOC5L

EQUIPMENT & INSTRUMENT P/12



HEARING AID

SBS-125

1.Product overview:

- Ideal for restricted hearing ability.
- Comfortable fit behind the ear barely visible
- Amplifies the volume of all sounds indoors and outdoors.
- Continuously adjustable volume
- 3 attachments to individually adjust to the ear canal.
- Low-noise rendering.
- Incl. battery and replacement battery

1.2 Product attractive selling point:

- The clear tube makes it almost invisible.
- Incredibly discreet design only you know it's there.
- Small, lightweight and very comfortable.
- Super-charges your hearing-increases the weakest sound to audible levels



SBS-238

1.Product overview:

- Ideal for restricted hearing ability.
- Comfortable fit behind the ear removable metal speaker, loud sound performance.
- Amplifies the volume of all sounds indoors and outdoors.
- Continuously adjustable volume
- 3 attachments to individually adjust to the ear canal.
- Incl. battery and replacement battery

1.2 Product attractive selling point:

- High power high sound gain reach to 65 dB.
- 9 levels adjustable volume to get fit level.
- 3 models available, Normal (soft tone), High 1 (Clear
- tone) & High 2 (Sharp tone).

HEARING AID



HEARING AID

SBS-115

1.Product overview:

- Ideal for restricted hearing ability.
- Comfortable fit behind the ear removable metal speaker,

loud sound performance.

- Amplifies the volume of all sounds indoors and outdoors.
- Continuously adjustable volume
- 3 attachments to individually adjust to the ear canal.
- Incl. battery and replacement battery

1.2 Product attractive selling point:

- Th Sound clarity will blow your mind (and for this price- amazing)
- Small, lightweight and very comfortable.
- Fits the contour of your ear.



SBS-909

1.Product overview:

- Ideal for restricted hearing ability.
- Comfortable fit behind the ear removablenetal speaker, loud sound performance.
- Amplifies the volume of all sounds indoors and outdoors.
- Continuously adjustable volume
- 3 attachments to individually adjust to the ear canal.
- Incl. battery and replacement battery

1.2 Product attractive selling point:

- The Sound clarity will blow your mind
- Small, lightweight and very comfortable.
- Fits the contour of your ear.
- High power high sound gain.
- Super-charges your hearing-increases the weakest sound to audible levels.



HIFENT High-Flow Heated Respiratory Humidifier

Hifent Humidifier id designed specifically to be a solution for delivering the benefits of humidification and flow to pediatric and adult patients in the hospital home and in long term care, its applicable department including respiration medicine each ICU emergency department, neurology department, neurosurgery, department of pediatrics (weight>3 kgs), rehabilitation unit and senior officials inpatinet ward etc. Respicare allows the Hifent to comfortably provide high flows of air/oxygen mixtures to spontaneously breathing patients with integrated high flow generator and oxygen enrichment system, through the unique optional flow nasal cannula interface.



Hifent Flow :

The stable flow rate can be accurately adjusted according to the patient's individual ventilation demand.

Flow Rate :

Low Flow Mode : 2-25 L/Min (Pediatric mode) High Flow Mode : 10-80 L/Min (Adult mode)

Hifent Humidification :

The level of humidification and the temperature of therapy air can be adjusted by the patient according to comfort. Dew point : 31°C, 34°C, 37°C

Hifent Monitoring :

The display provides information on current flow rate Temperature Therapy air FiO2 Mode of operation

Hifent Oxygen :

O2 addition can be titarated / auto-control according to the patient'O2 deficit. Supply from any external O2 source up to 80 L/Min

Model	HUMID-BM	HUMID-BH	HUMID-BHR
Power Supply		220 VAC + 22V, 50 + 1Hz	·
Flow setting range	Low Flow Mode : 2-25 L/Min temp : 34 C High Flow Mode : 10-80 L/Min		High Flow Mode : 10-60 L/Min
Temperature Control			
Oxygen % Measure	21%-100%		21%-50%
FiO2 Control	Manual titration control	Auto proportional value control	Manual titration control
Alarm Parameters	• Low oxygen concentration alarm • High oxygen concentration alarm • Ambient temp alarm • Choke alarm • Alarm recovery		
Recommended Ambient Temp	18°-28°C		
Standards	IEC/EN 6060-1, IEC/EN 60601-1-2, ISO 8185		
Package	L330 X W245 X H315 mm	L390 X W245 X H315 mm	L330 X W245 X H315 mm
Application	HOSPITAL	HOSPITAL	HOME CARE

In which patient can Hifent be used ?

This product is suitable for patients with spontaneous breathing, realizing treatment by providing heated and humidified gas of a certain flow. These patients include humidification treatment, oxygen therapy, endotracheal intubation and tracheostomy. This product cannot be used for life support.

P/15

Respircare

Consumables



Nasal Cannula for adult



Tracheostomy Adapter

Nasal Cannula for Pediatric

Model	Nasal Cannula for Adult		Nasal Cannu	Ila for Pediatric	Tracheostomy Adapter	
Size	# S	# M	# L	Infant Size	Pediatric Size	
Cannula Size	3x1.5 mm OD	6x4.8 mm OD	5.4 mm OD	2.9 mm OD	3.2 mm OD	For Adult
Flow Range	50 Lpm	70 Lpm	80 Lpm	20 Lpm Max	25 Lpm Max	(Flow Rate 10-60 Lpm)
Package	10 Pcs / box : 230x130x160 mm 70 Pcs / box : 530x230x290 mm		Sticker materia	al : Hydrocolloid		



Heating Tube Heating circuit Prevent condensation



Water Chamber for Hospital Clinical Humidifier : quick transfer between patients due to use of disposable components



Nasal Cannula Comfortable, soft silicone patient interface, low noise, two sizes for different patient



Water Chamber for Homecare Homecare Humidifier : easy handling when filling with drinking water as the reusable chamber



AutoCPAP-20

CONTINUOUS POSITIVE AIRWAY PRESSURE (CPAP) THERAPY CPAP devices are the most commonly used treat ment options for people experiencing breathing problems, most notably of which is obstructive sleep apnea (OSA).

Available for the rental basis and sale basis

Product Specification

Characteristics			
Modes	CPAP, Auto-CPAP		
Pressure range	4-20 CmH20		
Ramp time	0-60 minutes		
Noise level	<28db		
Alarms	Tube alarm, Apnea alarm & power failure		
Memory	Micro SD Card - 8 GB		
Heated Humidifier	Integrated		
Warranty	1 Year		

Mod	Mode -> APAP					
-b	Mode	APAP				
	CPAP Start	4.0	cm H2O			
8	CPAP Max	11.6	cm H2O			
54	CPAP Min	4.0	cm H2O			
	Ramp	5	min			
	C-Flex	3				

Benefits of cpap

- Elimination of snoring and breathing obstructions.
- Improvement in quality of nightly sleep.
- Prevention or reversal of serious health conditions such as cardiovascular diseases and stroke.
- Lower blood pressure both during the day and at night.
- Increased alertness during the day.
- Significant decrease of daytime drowsiness.



Physical Characteristics		
Dimensions	18*27*11 cm	
Weight	1.7 Kg	
Screen size	2.4 inch	

Electrical Characteristics

Electrical supply	100 - 240 V, 50 - 60 Hz
Power Consumption	<80W with Humidifier
93/42/EC Classification	Class II A

Environmental requirements

Temperature	5 C - 35°C
Humidity	30-95%, no condensation
Storage	-20-60-°C
Altitude	From Sea level to 2700 mtrs

2.1 Accessory List

No.	Name	Unit	Qty
1	APAP20/CPAP20 Device	Set	1
2	Humidifier(Optional)	Set	1
3	Air Tubing(Optional)	Set	1
4	Mask(Optional)	Set	1
5	DC Power Supply	Set	1
6	Micro SD Card(Optional)	Set	1
7	Canvas Bag	Set	1
8	Filter	Set	1
9	User Manual	Set	1



BPAP25 AUTO / BPAP25PRO

Available for the rental basis and sale basis

Non-Invasive Ventilator

BIPAP -(BILEVEL POSITIVE AIRWAY PRESSURE)

A non-invasive form of therapy for patients suffering from sleep apnea & Chronic Obstructive Pulmonary Disease (COPD)

Benefits of **BPAP**

- Prescribed to sleep apnea patients with high pressure settings or low oxygen levels
- Often used after CPAP has failed to adequately treat certain patients.
- Can be helpful for patients with cardiopulmonary disorders such as congestive heart failure.
- Often prescribed to people with lung disorders or certain neuromuscular disorders.

Product Specification





Model	BPAP25AUTO	BPAP25PRO	BPAP30
Modes	CPAP, BPAP(S), AUTOCPAP, AUTO S	CPAP, S, T, S/T, PCV	CPAP,S,T,S/T
IPAP range	4-25 CmH2O	4-25 CmH2O	4-30 CmH20
EPAP range	4-20 CmH20	4-20 CmH2O	4-20 CmH20
CPAP range	4-20 CmH2O	4-20 CmH2O	4-20 CmH20
I-trigger	Auto,1-6	Auto,1-6	Auto,1-6
E-trigger	Auto,1-6	Auto,1-6	Auto,1-6
IPAP rise time	Auto,0.1-0.6s	Auto,0.1-0.6s	Auto,0.1-0.6s
Breathe rate	-	2-40 bpm	2-40 bpm
Noise Level (db)	<28db	<28db	<28db
Ramp time (minute)	0-60	0-60	0-60
Display date	Vt,Vleak, Rate, I:E	IPAP, EPAP, Rate(bpm), I:E, Vt, Vleak, Mvent, Trigger I/E	IPAP, EPAP, Rate(bpm), I:E, Vt, Vleak, Mvent, Trigger I/E
Alarms	Tube alarm, Apnea alarm & power failure	Tube alarm, Apnea alarm, High / Iow rate Alarms & power failure	Tube alarm, Apnea alarm, High / Iow rate Alarms Mvent alarm & power failure
Dimensions	18*27*11cm	18*27*11cm	18*27*11cm
Weight	1.7 Kg	1.7 Kg	1.7 Kg
Screen size	2.4 inch	4.3 inch	4.3 inch
Heated humidifier	Integrated	Integrated	Integrated
Memory	Micro SD Card - 8 GB	Micro SD Card - 8 GB	Micro SD Card - 8 GB
Warranty	1 year	1 year	1 year

Electrical Characteristics			
Electrical supply 100-240V, 50-60 Hz			
Power Consumption <a> 80W with Humidifier			
93/42/EC Classification Class II A			
Environmental requirements			
Temperature	5°C - 35°C		
Humidity	30-95% no consideration		
Humidity Storage	30-95% no consideration -20-60-℃		

Mode	e -> S/T		
A	Mode	S/T	
42	IPAP	4.0	cm H2O
Δ	EPAP	0.40	cm H2O
0	Rise Time	0.1	Sec
X	Rate	10.0	bpm
	C-Flex	1.5	Sec
4	I-Trigger	6	

ACCESSORIES FOR CPAP / BPAP



FULL FACE MASK (NIV)



HOSE TUBING FOR CPAP/BPAP



FULL FACE MASK NON VENTED



NASAL MASK



DISPOSABLE DRAPES AND PACKS RANGE

Surgical Gowns, Mask, Cap, shoe Cover & leggings	General Surgery Drapes & Instrument Covers	Opthalmic Drapes & Packs
1	2	3
Incise Drape	Orthopedic Drapes & Packs	Gynaecology & Cesarean Drapes & Packs
4	5	6
Neuro Surgery Drapes & Packs	Cardio Vascular & Angiography Drapes & Packs	Urology & Cystoscopy Drapes & Packs
7	8	9 P/20

DRAPES AND PACKS

Single Use Disposable Surgical Gowns



Standard Surgical Gown Mn811 - Polyprolene Mn812 - SMMS Mn813 - Spunless Mn814 - BVB



Wraparound Surgical Gown Mn831 - Polyprolene Mn832 - SMMS Mn833 - Spunless Mn834 - BVB



Reinforced Surgical Gown Mn821 - Polyprolene Mn822 - SMMS Mn823 - Spunless



Wraparound Reinforced Surgical Gown Mn842 - SMMS Mn843 - Spunless



Chemotherapy Gown



Patient Gown



Visitor Gown Mn844



Shirt Pant



facemask



Surgeon Cap



Shoe Cover



Leggings

Single Use Disposable General Surgery & Instrument Covers

2

	Code No.	Descriptions	ze
	MN 101	Major Drape	160 X 250 cm, incise Area 15 X 35cm
Major Drape	MN 110	Major Drape, Premium	160 X 250 cm, Incise Area 15 X 35cm
C	Code No.	Descriptions	ze
U	MN 102	Cesarian Drape	160 X 250 cm, Incise Area 15 X 35cm
Cesarian Drape	MN 112	Cesarian Drape- Premium	160 X 250 cm, Incise Area 15 X 35cm
	Code No.	Descriptions	ze
	MN 104	LaproscopyDrape	160 X 250 cm, Aperture Area 25 X 35cm
	MN 114	LaproscopyDrape - Premium	160 X 250 cm, Aperture Area 25 X 35cm
Laproscopy Drape			
	Code No.	Descriptions	ze
	MN 300	Plain Sheet Small	120 X 150 cm
	MN 301 MN301P	Plain Sheet Plain sheet Premium	120 X 210 cm 120 X 210 cm
Plain Sheet			
	Code No.	Descriptions	ze
Prover a stally 111	MN 207	Video Camera Cover	10 X 250 cm
< <u>+</u>	MN 326	Medisert, Camera Cover	15 X 250 cm
Camera Cover			
	Code No.	Descriptions	ze
	MN 304	Mayo's Trolley Cover Small	120 X 66 cm
	MN 305	Mayo's Trolley Cover Large	110 X 100 cm
Mayo Stand Cover			

	Code No.	Descriptions
	MN 855	HIV Kit Premium - Wrapround Reinforced Gown Smms -1, Cap -1, Mask -1, PP Laminated Leggings-1, Pair, Poly Drape - 1, Diathermy Bag - 1, St.Gloves - 1, Goggles -1
al al	MN 856	HIV Kit Regular: PP Plain Gown -1, Cap -1, Mask -1, Plastic Gloves - 1Pair, Plastic Shoe Cover -1, Pair, Goggles -1
	MN 857	HIV Drape Pack (Large): (1) Set For Doctor / Medical Staff - 4, Packs : Disposable Surgeon Gown with Water Proof Interlining on Chest - 1, Hood Cap - 1, Face Mask - 1, Long Shoe Cover - 1, Arm Guard - 1, Gloves Disposable 7.5 & 8 - 2, Disposable Protective Glasses -1. (2)Set For Patient -1, Pack: Cut Sheet - 1, Slit Sheet - 1, Draw Sheet (220 X 120 cm.) - 4, Trolley Cover - 4, 0.T.Towels - 8, Mayo Stand Cover - 1, Patient Drape Sheet - 1, Sutur Bags - 2 Pcs., Disposable Bag • 1.
HIV Surgical Procedure Kit	MN 858	HIV Drape Pack (Small) : Set for Doctor / Medical Staff - 2, Set For Patient -1

Single Use Disposable Opthalmic Drape

Eye Drape with Single Drain Pouch	Code No.	Descriptions	ze
	MN 601 MN 700	Eye Drape Poly, with attach Drain Pouch Eye Drape Plain	60 X 60 cm, Adhesive 6 X8 cm 70 X 70 cm, Incise Area 7 X 9 with Drain Pouch & Eyelid Holders
	Code No.	Descriptions	ze
Eye Drape with Double Drain Pouch	MN 700A MN 701	Eye Drape Attach Eye Drape Plain	70 X 70 cm Incise Area 7 X 9 with attached Drain Pouch 100 X 70 cm, Incise Area 7 X 9 with Drain Pouch& Eyelid Holders
	Code No.	Descriptions	ze
Transparent Eye Drape With Double Drain Pouch Single Use Adhesive Incise Drape	MN 702	Eye Drape Large	150 X 160 cm,Incise Area 6 X 17 cm with Drain Pouch & Eyelid Holders
			P/2

Single Use Disposable Adhesive Incise Drape

9.04	Code No.	Descriptions	;	ze	Adhesive Area Size
	MN 1010 MN 1020 Incise	Incise Drape Mini		10 X 15 cm Adhesive Area - 10 X 20	Adhesive Area - 10 X 10 cm
	MN 3025 Incise			Adhesive Area - 30 X 25	
A CONTRACTOR	MN 3535 Incise	e Drape Large 5	50 X 35 cm 🛛 🖌	Adhesive Area - 35 X 35	cm
	MN 6045 Incise	e Drape X - Large 6	60 X 45 cm 🛛 🖌	Adhesive Area - 50 X 45	cm
	MN 6060 Incise	e Drape	ç	90 X 60 cm	Adhesive Area - 60 X 60 cm
Incise Drape	MN 6090 Incise	e Drape	ç	90 X 90 cm	Adhesive Area - 90 X 60 cm
	Code No.	Descriptions	2	ze	Adhesive Area Size
	MN 1010I	Incise Drape Mini, 10	0 X 15 cm	Adhesive Area - 10 X 10) cm
	MN 1020I	Incise Drape Small, 15	5 X 20 cm	Adhesive Area - 10 X 20) cm
ST A	MN 3025I	Incise Drape Medium,		40 X 25 cm	Adhesive Area - 30 X 25 cm
	MN 3535I	Incise Drape Large, 50	0 X 35 cm	Adhesive Area - 35 X 35	5 cm
	MN 60451	Incise Drape X - Large,		60 X 45 cm	Adhesive Area - 50 X 45 cm
	MN 60601	Incise Drape		90 X 60 cm	Adhesive Area - 60 X 60 cm
lodine Incise Drape	MN 60901	Incise Drape		90 X 90 cm	Adhesive Area - 90 X 60 cm

Single Use Disposable Orthopadic Drape

5

	Code No.	Descriptions	ze
	MN 014 MN 511	Hip Drape with clear Leg Pocket, with Elastic Aperture Hip U Drape Plain Drape Stockinet and Adhesive Strips	240 x 325 cm 240 x 225 cm 240 x 200 cm
Hip-U Drape	MN 512	Hip U Drape Premium Size Plain Drape Stockinet and Adhesive Strips	240 x 225 cm 240 x 200 cm

DRAPES AND PACKS

Shoulder U Drape	Code No.	Descriptions	ze
	MN 513	Shoulder U Drape Plain Drape Stocikenet White - 01, Leggins & Stripe - 04	160 X 200 cm, 150 X 75 cm
	Code No.	Descriptions	ze
	MN 505	Keen 0 Drape Elastic Aperture 5 cm, Stockinet, Leggins and Adhesive Strips	240 x 340 cm
	MN 506	Elbow 0 Drape, Elastic Aperture 8 cm, Stocikenet White 90 cm - 01, Leggins & Stripe - 04	150 X 120 cm
Knee O Drape	MN 515	Keen 0 Drape Premium Elastic Aperture 5 cm, Stockinet, Leggins and Adhesive Strips	240 x 340 cm
	Code No.	Descriptions	ze
	MN 518	Arthoscopy Drape- with Drainage Funnel, Cling Drape - 01, Stocikenet,SMS Leggins - 01 Pair, Stripe - 04&Primesert - 01	240 X 300 cm
	MN 519	Arthoscopy Drape Premium-with Drainage Funnel, Cling Drape, Stocikenet & Leggins	240 X 300 cm
Arthoscopy Drape	MN 520	Shoulder Arthoscopy Drape with U Cut Head Sheet	160 x 200 cm 14 x 16 cm 160 x 190 cm
	Code No.	Descriptions	ze
Universal Extrimity Drape	MN 012	Universal Extremity Drape with elastic Aperture	240 x 325 cm
	Code No.	Descriptions	ze
Bilateral Drape	MN 013	Bilateral Limb Drape with Arm Board Cover, with Elastic Aperture - 2 nos	240 x 325 cm
Hood Helmet Cover	Code No.	Descriptions	
	MN 360 MN 369 MN 378 MN 387	Hood Helmet Cover - Styker Hood Helmet Cover Zero G Hood Helmet Cover - Depuy Hood Helmet Cover - Zimmer	

	Code No.	Descriptions	ze
	MN 544 MN 545	Esmarch Bandage Esmarch Bandage	4 6
Esmarch Bandage			
Orthopadic Pack	Code No.	Descriptions	
	MN 016	Orthopedic Pack - U Drape -1 no; Lggins -1 no;Plain Adhesive Drape - 2 nos; Towel - 4 nos;Utility Tapes - 2 nos; Wrapping Sheets -1 no.	
	Code No.	Descriptions	
Hip U Drape Kit	MN 955	Total Hip Replacement Kit - U Drape Ino; Plain Drape - Ino; Trolley Sheet - Ino; Plain Sheet,Medium - 2 no; Plain Sheet Large -1 no; Diathermy Bag -1 no; Wraparound Gown Medium -1 no; Wraparound Gown Large - 2 nos.	
	Code No.	Descriptions	ze
Vertical Isolation Drape	MN 0027	Vertical Isolation Drape with fluid collection Pouch, Tube Holders, Release Tape for Horizantal Attachment	230 x 320 cm Incise Area 40 x 75 cm
encol-insurface	Code No.	Descriptions	
U Bar Pack	MN 015	U Bar Pack - Back Table Cover, Reinforced Mayo Stand Cover, Suture Bag , U Drape and Bar Drape	
	Code No.	Descriptions	ze
	MN 017 MN 018	Splint Sheet Impervious Stockinette	150 X 200 cm
	MN 0020	Mayo's Stand Cover Reinforced	76 x 145 cm
	MN 0021	Back Table Cover Reinforced	115 x 230 cm
Splint Sheet	MN 0022	Back Table Cover Reinforced	160 x 230 cm
	MN 0023	Half Drape Medium Drape	160 x 120 cm 200 x 120 cm
Trolley Cover Reinforced	MN 0024 MN 0025	Large Drape	160 x 200 cm

Single Use Disposable Gynaecolog Cesarean Drapes & Packs

6

	Code No.	Descriptions	ze
Maternity Drape sheet	MN 205 MN 206 MN 208 MN 216	Maternity Drip Sheet With Absorbent Pad & Collection Pouch Hole Towel, Apertune 16 cm Under Bucket Drape, With Drange System Kellys Pad	70 X 70 cm 150 X 80 cm
Cesarian Kit	Code No.	Descriptions	
	MN 959	Disposable Cesarian Kit - Surgeon's Gown - 3 nos; Laprotomy Sheet -1 no; Mackintosh Draw Sheet - 2 nos; Baby Sheet - 2 nos; Long Shoe Cover - 3 Pairs, Bouffant Cap - 3 nos; Face Mask - 3 nos; Eye Screen - 3 nos; Trolley Cover - 2 nos.	
C-Section Drape	Code No.	Descriptions	ze
	MN 956	C Section Drape with Drainage Bag	160 x 300 cm
Labour Kit	Code No.	Descriptions	
	MN 958	Disposable Labour Kit • Surgeon's Gown 2 nos; Pair of Legging -1 no; Gynac Sheet -1 no; Kelly's Pad -1 no: Baby Sheet - 2 nos; Trolley Cover -1 no; Long Shoe Cover 2 pairs. Bouffant Cap • 2 nos; Face Mask - 2 nos.	
	Code No.	Descriptions	ze
	MN 270	Gynac Pack, Gynac Drape, Maternity Drip Sheet, Neonatal Sheet, Half Gown, Cord Clamp & Latex Gloves	
Full Gynac Drape	MN 503	Full Gynac Drape, Aperture Adhesive Area	160 x 250cm 20 x 13 cm 24 x 17 cm
	MN 5034	Neonatal Sheet	70 x 70 cm

Single Use Disposable Neuro Surgery Drapes & Packs

Craniotomy Drape	Code No.	Descriptions	ze
	MN 901 MN 911	Craniotomy Drape, with drainage funnel Craniotomy Drape Premium, with drainage funnel	150X 300 cm, Incise Area 24 cm 150X 300 cm, Incise Area 24 cm
Keuro Surgery Kit	Code No.	Descriptions	
	MN 957	Neuro Surgery Kit - O.P. Drape - 5 nos; Craniotomy Sheet - 1 no; Mayo Stand Cover -1 no: Side Sheet - 4 nos; 0 T Towel - 6 nos; Skin Towel - 8 nos; Sleeve of Gown • 1 pair; Test Tube Pocket -1, no; Gown with Hand Towel - 5 nos.	

Single Use Disposable Angiography & Cardio Vascular Drapes

Angiography Drape	Code No. MN 903 MN 904	Descriptions Angioplasty Drape Aperture 16 cm - 2 nos. Angiography Drape Aperture 16 cm - 1 no.	ze 160 X 300 cm 160 X 300 cm
CABG Drape CABG Kit	Code No. MN 902 MN 910 MN 999	Descriptions Cardio Thoracic Drap, with 2 Pockets & Tube Holder Cardio Thoracic Drap Premium, with 2 Pockets & Tube Holder CABG Pack : (1) Square Sheet -1 no; Large Sheet -1 no; Towel - 2 nos; Bottom Drape Sheet -1 no; Draw Sheet with Adhesive -1 no; Wing Sheet -1 no; Main Drape with Idophar Incise -1 nos; (2) Trolley Cover -1 no; Towel -1 no; Basin Stand Cover -1 no; Waist Band - 2 nos; Saddle Bag -1 no; Disposable Bag -1 no; Tubing Organizer Small - 2 nos; Tubing Organizer Big -1 no. (3) Wraparound Gown with Hand Towel Medium -1 no; raparound Gown with Hand Towel Large - 2 no.	ze 200 x 400 cm, Incise Area 20 x 40 cm 200 x 400 cm, Incise Area 20 x 40 cm

Single Use Disposable Urology & Cystoscopy Drapes & Packs

TURP Drape	Code No.	Descriptions	ze
	MN 507 MN 517	TURP Drape, Adhesive Area 24 x 17 cm with 3 cm condom catcetav TURP Drape, Premium, Adhesive Area 24 x 17 cm with 3 cm condom catcetav	160 x 200 cm 160 x 200 cm
Penoscotal Drape	Code No.	Descriptions	ze
	MN 401 MN 402	Penoscotal Drape [0 Hole Drape Large], Aperture 16 cm Penile Drape, Size [0 Hole Drape Small], Aperture 8 cm	160 x 150 cm 160 x 150 cm
PCNL Drape	Code No.	Descriptions	ze
	MN 913 MN 923	PCNL Drape, Incise Area 20 x 25 cm with Drainage Funnel PCNL Drape, Premium, Incise Area 20 x 25 cm with Drainage Funnel	160 x 300cm 160 x 300 cm



SHREE BALAJI SURGICAL PVT. LTD.

(AN ISO 9001 : 2008 (QMS) CERTIFIED COMPANY)

MANUFACTURER , IMPORTERS & EXPORTERS IN : SURGICAL DISPOSABLE PRODUCT

Head Office : A-002, Ruchi CO-OP. HSG. SOC., Ground Floor, Devidas Lane, Behind Raghunath Tower, Borivali (West), Mumbai - 400 103. Maharashtra. (INDIA). • Phone : +91 22 2895 4442 • Telefax : +91 22 2895 4443 E-mail: shreebalajisurgical1@gmail.com • Web : www.sbspvtltd.com / www.sbspvtltd.in / Skype Id : sbspvtltd1

Branch Office : 1-B-30, Lalita Shashtri Nagar, Behind Kalpatru Shopping Centre, Jaipur - 302016. Rajasthan (INDIA). E-mail: sbsjaipur@gmail.com • Tel : +91 141 2309675 / Mob : +91 98293 72631